

# PergoFloors

Don't worry floors

for a don't worry life

# Contents

**Diamond** 6

PERGO® Diamond-quality floors are designed for heavy commercial use in high-traffic areas with demands for exceptional durability.

**Gold** 12

PERGO® Gold-quality floors are the ultimate solution for families with children or pets, demanding home locations or small offices and restaurants.

**Silver** 26

PERGO® Silver-quality floors are designed for residential and light commercial use with normal wear.

**Accessories** 31

**Technical information** 50

**Why choose a PERGO® floor?** 53

**Guarantees** 54



# Congratulations!

You'll soon find the flooring you're looking for

This catalogue contains the world's largest selection of laminated flooring in all formats, colours and designs.

Pergo invented and introduced this extremely durable flooring material 30 years ago. And we have been refining its sensational properties ever since. Every year Pergo introduces innovative flooring solutions that make us stand out from all the rest.

In this catalogue you will find our full range of floorings and accessories to give you a perfect flooring solution. We invite you to look through it together with our theme brochure, PergoStyle, where you will find a variety of useful tips and ideas on how a new PERGO® floor can transform your indoor environment. They will help you to make your purchase with the knowledge that you have chosen a quality floor in every respect.

# Our innovations of today become the standards of tomorrow



## THE FIRST ENVIRONMENTALLY CERTIFIED LAMINATE FLOORING

PERGO® floors are the first laminate floors to be awarded the Nordic Ecolabel, the Swan, which considers a product's impact on the environment throughout its life cycle and guarantees that it is a good environmental choice. All our floors are environmentally certified.



## SOFTTECH™ – THE START OF A NEW FLOORING REVOLUTION

Pergo is constantly developing trend-setting innovations. Our revolutionary new SoftTech™ technology makes the floor significantly quieter thanks to a sound-reducing layer under the laminate surface. It also provides radically improved energy absorption, which makes the floor more comfortable to walk on.



## A 100% HYGIENIC FLOOR – ACHIEVED NATURALLY

Pergo has developed a method of making laminate floors bactericidal without any use of chemicals. Our Sense™ and Uniq™ floors incorporate a tiny amount of silver, which 'starves' bacteria to death in a natural and proven way and prevents them reproducing.



## ANTI-STATIC FLOORING

Forget the annoyance of small static shocks. Pergo has developed a technology that makes the Sense™, Uniq™ and Expression™ floors anti-static.



## 29 NEW DESIGNS!

Pergo has the market's widest choice of designs, and we are continually developing creative new decors and styles. This year we are launching 29 exciting new designs, which offer you even more ways of creating rooms to suit your own individual personality.

# Vary your design with surface textures and shapes!

Beautiful designs with a range of surfaces and shapes, some with bevelled edges, letting you create floors of distinction

Our bevelled edge floors look like planks of traditional wood flooring, while our narrow strips give the feeling of an old fashioned parquet floor where you can see each individual block.

Tiles give you further design options. The 20 x 60 cm tiles, bevelled on all four edges, convey the impression of a genuine stone floor, emphasizing the joints, which have the colour of an authentic grout line.

In our ship's deck designs, bevels stretch lengthwise to give a classic marine touch. The bevels can be dark or light and the distance between them can vary, just like genuine decking.

But shape is not the only way to create variation. Different designs call for different finishes. PERGO® floors have a choice of surfaces to give the floor an extra dimension. Our matt wood finish gives the authentic feel of an oiled wood floor, while our textured surface adds to the impression of an old wooden floor full of life and charm. Or choose our Genuine™ surface, a structured finish that perfectly follows every detail of the wood grain.

Our tiles also have a choice of finish – smooth, slate or textured – that enhances the ceramic look and feel of the floor.

On the following pages we present every single PERGO® design, including shapes, surfaces and any bevelling.





PERGO® Diamond-quality floors are designed for heavy commercial use and thanks to their superior Diamond level TitanX Surface™ have extremely high wear resistance. They are the ultimate floors for high-traffic commercial areas with demands for exceptional durability.

PERGO Diamond floors are extra moisture-resistant because of their moisture-resistant core and the tight ProLoc® joint. They are equipped with Professional Performance SoundBloc™ for superb soundproofing and also have anti-microbial and anti-static properties. PERGO Diamond floors have a Lifetime Triple Guarantee for residential use, with a commercial guarantee on demand.

The ultimate floor for very high traffic commercial areas with extreme demands for exceptional durability. But it is not only tough. With a total of 23 designs, it also covers tough aesthetic demands.



**037103 White Pine, plank**  
Surface: Wood  
Format: 1196 x 196 mm



**037113 Painted nature light**  
Surface: Wood  
Format: 1196 x 196 mm



**037553 Boathouse Pine, plank**  
Surface: Wood  
Format: 1196 x 196 mm



**037153 Woodstrip light**  
Surface: Wood  
Format: 1196 x 196 mm



**037123 Maple, plank**  
Surface: Wood  
Format: 1196 x 196 mm



**037453 Chalked Oak, plank**  
Surface: Genuine™  
Format: 1196 x 196 mm



037193 Beech, plank  
Surface: Wood  
Format: 1196 x 196 mm



037213 Glazed Maple, plank  
Surface: Wood  
Format: 1196 x 196 mm



037533 Natural Oak, plank  
Surface: Wood  
Format: 1196 x 196 mm



037493 Greenwich Oak, plank  
Surface: Wood  
Format: 1196 x 196 mm



037333 Silvergrey Pine, plank  
Surface: Wood  
Format: 1196 x 196 mm



037503 Grey Zebrano, plank  
Surface: Wood  
Format: 1196 x 196 mm





037473 Chocolate Oak, blocked  
Surface: Wood  
Format: 1196 x 196 mm



037203 Oak, blocked  
Surface: Wood  
Format: 1196 x 196 mm



037543 Walnut, blocked  
Surface: Wood  
Format: 1196 x 196 mm



037463 Dark Oak, plank  
Surface: Genuine™  
Format: 1196 x 196 mm



037273 Walnut, plank  
Surface: Wood  
Format: 1196 x 196 mm



037263 Woodstrip dark  
Surface: Wood  
Format: 1196 x 196 mm



037523 Fruitwood, plank  
Surface: Wood  
Format: 1196 x 196 mm



037433 Salted Lapacho, plank  
Surface: Wood  
Format: 1196 x 196 mm



037513 Carbonized Oak, plank  
Surface: Genuine™  
Format: 1196 x 196 mm



037443 Black Oak, plank  
Surface: Wood  
Format: 1196 x 196 mm



037483 Wenge, plank  
Surface: Wood  
Format: 1196 x 196 mm

# In 1977 we started a flooring revolution.

Here we go again.

30 years ago Pergo launched the world's first laminated flooring material and revolutionised the flooring industry. Now we're pushing the boundaries all over again.

PERGO® Sense™ is an entirely new laminate flooring that's both softer and quieter than a conventional floor. The secret lies in the patented SoftTech™ technology. For the first time ever soft and cushioning properties are combined with an extremely hard and durable finish.

Two world's have become one. SoftTech™. From the world's leading maker of modern flooring.



PERGO® Gold-quality floors are the perfect solution for families with children or pets and more demanding home locations like children’s rooms and kitchens – as well as small offices and restaurants. Some of the Gold floors also have anti-microbial and anti-static features. They have high scratch and impact resistance thanks to their Gold-level TitanX Surface™. All Gold floors are equipped with Compact SoundBloc™ for great soundproofing. In this category you’ll also find the PERGO Sense™ floor with the revolutionary new SoftTech™ technology, for superior ergonomics and soundproofing. PERGO Gold floors have a Lifetime Triple Guarantee for residential use, with a commercial guarantee on demand.

An entirely new laminate flooring that is both softer and quieter than a conventional floor. Comes with anti-microbial and anti-static features. Choose from a range of carefully selected designs.



**038542 White Pine, plank**  
 Surface: Antique Wood  
 Format: 1196 x 196 mm



**038502 Seaside Pine, plank**  
 Surface: Silk Matt Wood  
 Format: 1196 x 196 mm



**038512 Natural Oak, plank**  
 Surface: Silk Matt Wood  
 Format: 1196 x 196 mm



**038522 Haven Oak, plank**  
 Surface: Genuine™  
 Format: 1196 x 196 mm



**038552 Glazed Maple, plank**  
 Surface: Silk Matt Wood  
 Format: 1196 x 196 mm



**038532 Fruitwood, plank**  
 Surface: Silk Matt Wood  
 Format: 1196 x 196 mm

The only true original. This broad range offers the widest possible choice of decors and surface finishes. It forms the basis for a conscious home, creating a sense of timelessness and design excellence.



028082 White Pine, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm



027002 Travertine  
Surface: Smooth  
Format: 1198 x 198 mm



038202 White Oak, plank  
Surface: Naturaltouch matt  
Format: 1198 x 198 mm



028112 Chalked Oak, plank  
Surface: Genuine™  
Format: 1198 x 198 mm



025702 Maple, plank  
Surface: Silk Matt Wood  
Format: 1198 x 198 mm



038092 Country Maple, plank  
Surface: Naturaltouch matt  
Format: 1198 x 198 mm



**026502 Rustic Elm, plank**  
Surface: Silk Matt Wood  
Format: 1198 x 198 mm



**028602 Elegant Oak, blocked**  
Surface: Silk Matt Wood  
Format: 1198 x 198 mm



**025902 Cherry, plank**  
Surface: Silk Matt Wood  
Format: 1198 x 198 mm



**028692 Beech, 4-blocked**  
Surface: Wood  
Format: 1198 x 198 mm



**038032 Country Oak, blocked**  
Surface: Naturaltouch matt  
Format: 1198 x 198 mm



**024802 Virginia Oak, blocked**  
Surface: Silk Matt Wood  
Format: 1198 x 198 mm



021502 Oak, blocked  
Surface: Wood  
Format: 1198 x 198 mm



028022 Aged Elm, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm



028732 Driftwood Acacia, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm



038152 Cottage Pine, plank  
Surface: Naturaltouch matt  
Format: 1198 x 198 mm



038182 Greenwich Oak, plank  
Surface: Naturaltouch matt  
Format: 1198 x 198 mm



028682 Natural Oak, plank  
Surface: Wood  
Format: 1198 x 198 mm





028702 Smoked Vintage Oak, plank  
Surface: Genuine™  
Format: 1198 x 198 mm



028722 Greyed Oak, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm



038102 Vintage Oak, blocked  
Surface: Naturaltouch matt  
Format: 1198 x 198 mm



028032 Antique Oak, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm



028772 Walnut, blocked  
Surface: Wood  
Format: 1198 x 198 mm



028752 Copper Mahogany, blocked  
Surface: Polished Wood  
Format: 1198 x 198 mm



028762 Verona Walnut, plank  
Surface: Polished Wood  
Format: 1198 x 198 mm



028742 Dark Fruitwood, plank  
Surface: Polished Wood  
Format: 1198 x 198 mm

The playground for your imagination. Expression™ offers a growing range of designs, focusing on exciting formats and different surfaces to help you make a strong statement in any room. Choose from distinct planks to narrow short planks and ship's deck floors with their own unique character to timeless stone tiles. All floors in this collection include the anti-static feature.



010022 Chalked Oak, plank  
Surface: Genuine™  
Format: 1196 x 144 mm  
4-way bevel



010122 Seaside Pine, plank  
Surface: Silk Matt Wood  
Format: 1196 x 144 mm  
4-way bevel



010012 Golden Oak, plank  
Surface: Genuine™  
Format: 1196 x 144 mm  
4-way bevel



010062 Aged Elm, plank  
Surface: Antique Wood  
Format: 1196 x 144 mm  
4-way bevel



010002 Dark Oak, plank  
Surface: Genuine™  
Format: 1196 x 144 mm  
4-way bevel



010132 Modern Acacia, plank  
Surface: Silk Matt Wood  
Format: 1196 x 144 mm  
4-way bevel



010082 Smoked Oak, plank  
Surface: Antique Wood  
Format: 1196 x 144 mm  
4-way bevel



010092 Salted Lapacho, plank  
Surface: Polished  
Format: 1196 x 144 mm  
4-way bevel



010142 Smoked Vintage Oak, plank  
Surface: Genuine™  
Format: 1196 x 144 mm  
4-way bevel



010112 Wenge, plank  
Surface: Wood  
Format: 1196 x 144 mm  
4-way bevel



010462 Distressed White Oak, plank  
Surface: Naturaltouch matt  
Format: 1196 x 144 mm



010412 Chalked Oak, plank  
Surface: Genuine™  
Format: 1196 x 144 mm



010472 Traditional Oak, plank  
Surface: Silk Matt Wood  
Format: 1196 x 144 mm



010402 Dark Oak, plank  
Surface: Genuine™  
Format: 1196 x 144 mm



010482 French Oak, plank  
Surface: Silk Matt Wood  
Format: 1196 x 144 mm



010492 Jatoba, plank  
Surface: Wood  
Format: 1196 x 144 mm



**010222 Chalked Oak**  
Surface: Genuine™  
Format: 790 x 92 mm  
4-way bevel



**010212 Golden Oak**  
Surface: Genuine™  
Format: 790 x 92 mm  
4-way bevel



**010262 Aged Elm**  
Surface: Antique Wood  
Format: 790 x 92 mm  
4-way bevel



**010202 Dark Oak**  
Surface: Genuine™  
Format: 790 x 92 mm  
4-way bevel



**010292 Salted Lapacho**  
Surface: Polished  
Format: 790 x 92 mm  
4-way bevel



**010192 Wenge**  
Surface: Wood  
Format: 790 x 92 mm  
4-way bevel



**010622 Travertine, yellow**  
Surface: Ceramic  
Format: 592 x 198 mm  
4-way bevel



**010692 Desert Concrete**  
Surface: Ceramic  
Format: 592 x 198 mm  
4-way bevel



**010662 Beige Slate**  
Surface: Slate  
Format: 592 x 198 mm  
4-way bevel



**010672 Rusty Slate**  
Surface: Slate  
Format: 592 x 198 mm  
4-way bevel



**010602 Black Slate**  
Surface: Ceramic  
Format: 592 x 198 mm  
4-way bevel



**010652 Italian Black Slate**  
Surface: Slate  
Format: 592 x 198 mm  
4-way bevel



**034082 White Tile**  
Surface: Smooth  
Format: 396 x 396 mm



**034002 Creme**  
Surface: Smooth  
Format: 396 x 396 mm



**034022 Glaze beige**  
Surface: Ceramic  
Format: 396 x 396 mm



**034052 Cotto clay, grey**  
Surface: Ceramic  
Format: 396 x 396 mm



**034042 Cotto clay, beige**  
Surface: Ceramic  
Format: 396 x 396 mm



**034072 Cotto terra, light**  
Surface: Ceramic  
Format: 396 x 396 mm





034032 Glaze graphite  
Surface: Ceramic  
Format: 396 x 396 mm



034102 Black Tile  
Surface: Smooth  
Format: 396 x 396 mm



010912 Yacht Oak  
Surface: Genuine™  
Format: 1196 x 92 mm  
2-way bevel



010902 Maritime Jatoba  
Surface: Wood  
Format: 1196 x 92 mm  
2-way bevel



PERGO® Silver-quality floors are designed for residential and light commercial use with normal wear. They have high scratch and impact resistance thanks to their Silver-level TitanX Surface™. All Silver floors have Compact SoundBloc™ for great soundproofing. Pergo invented the SoundBloc™ technology and is the only flooring company that offers soundproofing on every floor. Equipped with the SmartLock® click joint, PERGO Silver floors have a 20-year Triple Guarantee for residential use, with a commercial guarantee on demand.

The ideal solution for many residential areas and housing projects.  
Comes in 12 outstanding wood designs that share a warm and familiar mood.



**033302 Distressed White Oak, plank**  
Surface: Naturaltouch matt  
Format: 1198 x 198 mm



**033132 Oak, blocked**  
Surface: Wood  
Format: 1198 x 198 mm



**033312 White Oak, plank**  
Surface: Silk Matt Wood  
Format: 1198 x 198 mm



**033242 London Oak**  
Surface: Silk Matt Wood  
Format: 1198 x 198 mm



**033102 Maple, plank**  
Surface: Silk Matt Wood  
Format: 1198 x 198 mm



**033162 Beech, plank**  
Surface: Wood  
Format: 1198 x 198 mm



033362 Beech, 4-blocked  
Surface: Wood  
Format: 1198 x 198 mm



033222 Birch, plank  
Surface: Wood  
Format: 1198 x 198 mm



033292 Natural Oak, plank  
Surface: Wood  
Format: 1198 x 198 mm



033342 French Oak, plank  
Surface: Silk Matt Wood  
Format: 1198 x 198 mm



033352 Smoked Acacia, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm



033272 Preston Oak, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm

Sets a rustic, yet modern touch to your home. The bevelled edges along the sides create a distinct and rustic feeling of long wood planks. Choose from 10 decors, all with a textured surface.



**036852 Silver Pine, plank**  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel



**036932 Sandhurst Pine, plank**  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel



**036912 Country Pine, plank**  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel



**036872 Rustic Elm, plank**  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel



**036842 Classic Oak, plank**  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel



**036862 Dark Oak, plank**  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel



036892 Vintage Chestnut, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel



036832 Antique Oak, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel



036922 Country Oak, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel



036902 Thermotreated Oak, plank  
Surface: Antique Wood  
Format: 1198 x 198 mm  
2-way bevel

# Go all the way

## All the accessories you need for a perfect end result

It should be easy to install a floor and achieve a perfect end result. That is why we have a complete range of accessories that make it simpler to achieve a beautiful overall impression. In this range you will find everything from installation and maintenance tools to wallbases and profiles – all of them matching down to the finest detail.

The reason is simple. We treat a beautiful room as a coordinated design in which the colour and the surface texture of flooring, wallbases and profiles combine to create harmony. And we shouldn't need to say that we apply the same uncompromising attitude to the quality of our accessories as to our floors.



# 'Floor' gains a whole new meaning

NEW!



## INTERIOR FLOOR LIGHTS

Floor lighting from SimpleSolutions™ opens up completely new possibilities for creating moods in your home... or in commercial locations such as restaurants and shops.

With floor lighting you can 'furnish with light' and design creative single-point lighting that enhances comfort or produces dramatic effects. In your living room, your kitchen or on the stairs. Using red, blue, yellow or natural lighting. The possibilities are infinite.

This is also an exceptionally good way of keeping down the energy costs of lighting. The low power, high-quality LED lamps use light-emitting diodes of just 0,5 watt which have typical lifetimes up to 100.000 hours. Altogether, floor lighting from SimpleSolutions™ is a supremely sophisticated way of creating novel rooms using small means.



The kit contains everything you need: 3 LED lights with 5-metre cable, colour adaptors – easy to change, connection kit with 5-metre cable, power supply for your standard plug, transformer [\*4] 220 V -> 12 V

Art. No. 45498 Interior Floor Light Kit  
Art. No. 45499 Extra LED light

IP54 CE



# INSTALLATION – UNDERLAYS

## UNDERLAY GUIDE

Material	Impact sound	Drum sound	Leveling effect	Joint stability	Underfloor heating	Moisture resistance
MoisturBloc	★★★★	★★	★★★★	★★★★	★★★	★★★★★ <i>Best</i>
PE-film	–	–	–	–	★★★★★	★★★
Underlay Foam	★★★★	★	★★★	★★	★★★	–
Whisperwalk	★★★★	★★★	★★★★	★★★★	–	–
Silent +	★★★★★ <i>Best</i>	★★★	★★★★★ <i>Best</i>	★★★★	–	–

Always use PE-film when installing on concrete subfloors and in combination with underfloor heating.





### MOISTURBLOC EXTREME™

3 times better vapour resistance than a traditional PE-film

Art. Nr.	45025
Size	1.05 x 15 m = 15 m <sup>2</sup> (5 cm overlap)
Thickness	2.5 mm
Material	Polypropylene
Weight	0.45 kg/m <sup>2</sup>
Density	900 kg/m <sup>3</sup>

### Special Features:

- Can be installed on concrete subfloors up to 95% (5.0% CM) relative humidity.
  - Ideal for installations in the basement and on concrete floors with high moisture level.
  - Enables you to install much earlier in new constructions.
- 2-in-1 underlay, no extra underlay is needed.
  - Easy to install.
  - Everything is included in the package: mat, tape and instructions.
- Can be used as an underlay for all floating floors.
  - Wood and laminate floor.
  - Ideal function for click systems due to stiff construction.



# INSTALLATION – UNDERLAYS



## POLYETHYLENE FILM

Art. Nr.	45040 (12.5 x 2.7 m = 33.75 m <sup>2</sup> /roll) 45045 (25 x 2.7 m = 67.5 m <sup>2</sup> /roll)
Thickness	0.2 mm
Material	Extruded polyethylene, useful life minimum 50 years
Weight	184 g/m <sup>2</sup>
Density	approx 920–935 kg/m <sup>3</sup>
Features	Protects the floor from moisture vapour emitted from mineral and concrete subfloors. Alkali resistant.



## UNDERLAY FOAM

Art. Nr.	45056 (20 x 0.75 m = 15 m <sup>2</sup> /roll) 45061 (80 x 1.50 m = 120 m <sup>2</sup> /roll)
Thickness	1.8 mm
Material	Extruded polyethylene
Density	approx 32 kg/m <sup>3</sup>
Thermal Insulation	0.045 m <sup>2</sup> K/W
Features	Levels uneven subfloors



## WHISPERWALK

Art. Nr.	45080 (790 x 590 mm = 10.25 m <sup>2</sup> /pack)
Thickness	4 mm
Material	Multilayered softboard from woodfibers, FSC
Density	approx 300 kg/m <sup>3</sup>
Thermal Insulation	0.057 m <sup>2</sup> K/W
Features	Impact sound reduction 19 dB, ISO-EN 717-2 Levels uneven subfloors



## SILENT +

Art. Nr.	45065 (790 x 590 mm = 5,1 m <sup>2</sup> /pack)
Thickness	9 mm
Material	Multilayered softboard from woodfibers, FSC
Density	approx 300 kg/m <sup>3</sup>
Thermal Insulation	0.129 m <sup>2</sup> K/W
Features	High performance impact sound reduction 21 dB ISO-EN 717-2, Levels uneven subfloors



About FSC: The Forest Stewardship Council (FSC) is an international network to promote responsible management of the world's forests.

# INSTALLATION – TOOLS



## INSTALLATION KIT

Art. Nr. 45114

The installation kit consists of a box containing: Tapping block, installation spacers in 2 sizes (2 x 24 = 48 pcs) and a pull bar. The SimpleSolutions™ Tapping block is used to get the panels together and fits all laminate floorings. The installation spacers are used to ensure the right distance between the plank and the wall. The pull bar is used to get the last panels together, on both short and long side.

Art. Nr. 45174 DISTANCE SPACERS

Extra distance spacers (2 x 24 = 48 pcs).



## SAFESEAL

Art. Nr. 45050

The SafeSeal is intended for floor areas that need additional protection against moisture. Easy to peel away excess SafeSeal when dry.

Binder PVAc based  
 Bottle 0.5 litre, Content Approx. 20 m<sup>2</sup>/bottle  
 Temperature At least 15°C  
 Cleaning Water, or peel off after drying  
 Classification D3 (EN 204)




## SEALANT

Art. Nr. 454xx (See Matching Matrix for correct Art. Nr.)

Base Acrylic, Solvent: Water  
 Content 310 ml  
 Non adhesive After approx. 30 min. Hardened after 24 hours  
 Storage 24 months in unopened package.  
 Can be transported in temperatures down to -10° C.  
 Cleaning Water on not hardened sealant.  
 Hardened sealant is removable with acetone.

	45401
	45402
	45403
	45404
	45405
	45406
	45407
	45408



## EASY PLANK CUTTER

Art. Nr. 45116


Planks are cut easily without noise and fine dust.  
 90° cuts only.



## RADIATOR CAPS

Art. Nr. 41254 White  
 41256 Midbrown  
 41257 Yellowbrown  
 41258 Darkbrown

Diameter Inner: 15 mm, outer: 39 mm  
 Packaging 4 pcs/bag





# INSTALLATION – TOOLS



## RADIATOR CAPS – WOOD

Art. Nr.	41260 Oak 41261 Beech 41262 Maple 41263 Cherry 41264 White 41265 Dark brown
Diameter	Inner: 18 mm, outer: 54 mm
Packaging	1 piece



## ERGONOMICAL PULL BAR

Art. Nr.	45131
	Silent pull bar thanks to the polyurethane sheet and the rubber shock absorber on contact surface.
Thickness	4 mm
Hit surface	Rubber
Length	385 mm
Width	Front: 85 mm, back: 45 mm
Material	Lacquered iron, rubber, polyurethane



## TAPPING BLOCK

Art. Nr.	45139
	Turnable universal tapping block
Size	190 x 77 x 30 mm
Material	Polymide (black), TPU (green)

# FINISHING – MOLDINGS


- Easy installation – glue or screw
- Perfectly matched in colour and texture
- Highest wear (AC5) and scratch resistance
- Suitable for floors between 7 and 12 mm



## END MOLDING

For finishing around edges

Art. Nr.	340xx (See Matching Matrix for correct Art. Nr.)
	Perfectly matched in colour and texture
Size	W = 21.2 mm, L = 2.0 m
Core	HDF moisture resistant
Surface	Flooring laminate, AC5, TitanX Surface™



# FINISHING – 4-IN-1 MOLDING



- Four molding solutions in one package
- Matching colour and texture
- Highest wear (AC5) and TitanX Surface™ technology


- Easy installation with snap-in function
- Suitable for floors between 7 and 12 mm
- Patented innovation by Pergo

Art. Nr.	370xx (see Matching Matrix for correct Art. Nr.)
Length	2.0 m
Core	HDF moisture resistant
Surface	Flooring laminate, AC5, TitanX Surface™
Bottom Part	Galvanised iron. Additional plastic subtrack (flexheight)




## T-MOLDING

From laminate to laminate




## CARPET TRANSITION

From laminate to carpet




## HARD SURFACE REDUCER

From laminate to ceramic, vinyl or linoleum



## END MOLDING

For finishing around edges




# FINISHING – STAIR NOSES

- Three different solutions:
  - Normal laminate stair nose for stairs and steps down (laminate profiles)
  - Flush laminate profile for perfect results on stairs (laminate profiles)
  - Aluminium profile for commercial stairs and slip resistance
- Highest wear (AC5) and scratch resistance
- Perfectly matched in colour and texture



## STAIR NOSE MOLDING

Art. Nr. 350xx (See Matching Matrix for correct Art. Nr)  
 Size W = 60.0 mm, L = 2.0 m  
 Core HDF moisture resistant  
 Surface Flooring laminate, AC5, TitanX Surface™



## STAIR NOSE MOLDING – FLUSH FINISH PROFILE

Art. Nr. 380xx (See Matching Matrix for correct Art. Nr)  
 Available in 15 popular colours  
 Size W = 50.7 mm, L = 2.0 m  
 Core HDF moisture resistant  
 Surface Flooring laminate, AC5, TitanX Surface™




Closed stairs



Open stairs




"Bull nose"



## STAIR NOSE ALUMINIUM

Suitable for floors between 7 and 11 mm

Art. Nr. 45709 Silver  
 45710 Brown  
 45711 Sand  
 Size W = 30.0 mm, L = 2.7 m  
 Material Anodized aluminium



# FINISHING – COMMERCIAL MOLDINGS


The world most durable commercial moldings – resistant and durable. We have developed special moldings for commercial and high traffics areas. It is important for commercial areas to have suitable moldings. All our commercial moldings are very resistant to loads of heavy trolleys.



## T-MOLDING

From laminate to laminate. Easy installation with snap-in system.


Art. Nr.	3201xx (see Matching Matrix for correct Art. Nr.)
Size	W = 60.0 mm, L = 2.35 m
Core	Solid aluminium
Surface	Flooring laminate, AC6, TitanX Surface™
Bottom part	Galvanised iron



## REDUCER STRIP

From laminate to vinyl, ceramic etc. Easy installation with snap-in system.


Art. Nr.	3301xx (see Matching Matrix for correct Art. Nr.)
Size	W = 75.0 mm, L = 2.35 m
Core	Solid aluminium
Surface	Flooring laminate, AC6, TitanX Surface™
Bottom part	Galvanised iron



## RAMP PROFILE

Flexible in height. Flooring thickness (including underlay) 9–15 mm. Extremely resistant aluminium profile with screws.


Art. Nr.	49160 Silver
Size	W = 80.0 mm, L = 2.7 m
Surface	Aluminium



## T-MOLDING – EXTRA WIDE

Flexible in height. Flooring thickness (including underlay) 7–12 mm.


Art. Nr.	49175 Silver
Size	W = 45 mm, L = 2.7 m
Material	Anodized aluminium



## REDUCER STRIP

Easy installation with glue. Perfect for areas where no screws in the subfloor are allowed. Flooring thickness (including underlay) 7–9 mm.

Art. Nr.	45712 Brown 45713 Silver
Size	W = 42 mm, L = 3.1 m
Material	Anodized aluminium



# FINISHING – ALUMINIUM MOLDINGS



- Snap-in system – no visible screws
- Three colours: silver, sand and brown
- Suitable for floors between 8 and 14 mm
- Durable surface – UV protected colours and scratch protective design



## T-MOLDING

Flexible in height. Flooring thickness (including underlay) 8–14 mm.


Art. Nr. 49001 Silver  
49002 Sand  
49003 Brown  
Size W = 45.0 mm, L = 2.7 m  
Material Anodized aluminium



## REDUCER STRIP

Flexible in height. Flooring thickness (including underlay) 8–14 mm.


Art. Nr. 49011 Silver  
49012 Sand  
49013 Brown  
Size W = 56.0 mm, L = 2.7 m  
Material Anodized aluminium



## END MOLDING

Flexible in height. Flooring thickness (including underlay) 8–14 mm.

Art. Nr. 49021 Silver  
49022 Sand  
49023 Brown  
Size W = 33.0 mm, L = 2.7 m  
Material Anodized aluminium





# FINISHING – ALUMINIUM MOLDINGS


- Aluminium with screw system
- Three colours: silver, sand and brown
- Suitable for floors between 7 and 12 mm



## T-MOLDING

Flexible in height. Flooring thickness (including underlay) 7–12 mm.


Art. Nr. 49061 Silver  
49062 Sand  
49063 Brown  
Size W = 34.5 mm, L = 0.93 m  
Material Anodized aluminium



## REDUCER STRIP

Flexible in height. Flooring thickness (including underlay) 7–12 mm.


Art. Nr. 49071 Silver  
49072 Sand  
49073 Brown  
Size W = 44.5 mm, L = 0.93 m  
Material Anodized aluminium



## END MOLDING

Flexible in height. Flooring thickness (including underlay) 7–12 mm.

Art. Nr. 49081 Silver  
49082 Sand  
49083 Brown  
Size W = 21.0 mm, L = 0.93 m  
Material Anodized aluminium



# FINISHING – WALLBASES

- Easy and flexible installation with snap-in, nails, screws or glue
- Colour matched to the floor
- Beading

- Possible to hide cables during the installation
- Easy installation with the snap-in system
- A separate Wallbase installation kit is available



Possible to hide cables up to 13 x 11 mm (WxH) during the installation.




All our wallbases and beadings are certified PEFC. The PEFC provides an assurance to purchasers of wood and paper products that they are promoting the sustainable management of forests.



## WALLBASE SHAPED 16 x 57

Art. Nr. 300xx (See Matching Matrix for correct Art. Nr.)  
 Size 16 x 57 mm, L = 2.4 m  
 Core MDF  
 Surface Foil


Also see Wallbase installation kit 45250



## WALLBASE STRAIGHT 16 x 57

Art. Nr. 316xx (See Matching Matrix for correct Art. Nr.)  
 Size 16 x 57 mm, L = 2.4 m  
 Core MDF  
 Surface Foil


Also see Wallbase installation kit 45250



## WALLBASE SHAPED 14 x 82


Art. Nr. 303xx (See Matching Matrix for correct Art. Nr.)  
 Size 14 x 82 mm, L = 2.4 m  
 Core MDF  
 Surface Foil

Also see Wallbase installation kit 45250



## BEADING

Art. Nr. 310xx (See Matching Matrix for correct Art. Nr.)  
 Size 16 x 16 mm, L = 2.4 m  
 Core MDF  
 Surface Foil




# FINISHING – WALLBASES



## WALLBASE STRAIGHT 19 x 48

Art. Nr. 31725 White  
31790 Silver  
Size 19 x 48 mm, L = 2.4 m  
Core MDF  
Surface Foil



Also see Wallbase installation kit 45250




## PAINTABLE WALLBASES

Special made wallbases, ready to be painted.

(More sensitive to stains than a normal wallbase, if not painted)

Art. Nr. 30026 Shaped 16 x 57 30326 Shaped 14 x 82 30426 Shaped 15 x 120  
31626 Straight 16 x 57 31026 Beading 16 x 16

Size L = 2.4 m  
Core MDF  
Surface Foil



Also see Wallbase installation kit 45250



## END PIECES

Art. Nr. 407xx  
Available in 11 decors (see Matching Matrix for correct art. nr.)


Wallbases and beadings can be installed with a nice finish around the edges. 1 sheet with all shapes, left and right side. Self adhesive tape.



## WALLBASE INSTALLATION KIT

Art. Nr. 45250  
All wallbases can be installed with easy snap-in installation system for a beautiful finish where no screws or nails are visible. Enough for 15 lm.

Art. Nr. 45225  
Extra clips including screws and plugs in one package. 480 pcs, enough for 120 lm.



# MAINTENANCE – CLEANING PRODUCTS

- Specially developed cleaning detergent
- Cleaning kit microfibre mop for best cleaning result for easy and effective cleaning of laminate floors



## CLEANING KIT

Art. Nr. 45280

The cleaning kit includes:

MOP SET with extra long ergonomical handle, 1.6 m and a mop holder with unique Velcro fastener for the SimpleSolutions™ Mop Cloth.

MOP CLOTH, high quality mop cloth of microfibre. Specially developed for dry or damp mopping (also sold separately, see item 45285)



## SPRAY CLEANER SPRAY CLEANER – REFILL

Art. Nr. 45270 (0.5 litre)

Art. Nr. 45275 (4 litres)

Spray Cleaner is specially developed for cleaning laminate flooring.

Ideal for removing dirt, spots of grease and heel marks.

Can also be used for daily cleaning.



## LAMINATE AND WOOD FLOOR CLEANER

Art. Nr. 45290 (1 litre)

Laminate and Wood Floor Cleaner is specially developed for cleaning laminate and wooden flooring. Ideal for removing dirt, spots of grease and heel marks.

Optimal for daily cleaning. Can also be used with cleaning machines.



## SEPARATE MOP CLOTH

Art. Nr. 45285

High quality mop cloth of microfibre.

Specially developed for dry or damp mopping.



## FELT PADS

Art. Nr. 45171

To further protect your floor.

# CLEANING INSTRUCTIONS

One of the many advantages with floors from Pergo is that they are easy to keep clean and beautiful. To make the cleaning even easier and better Pergo also offers cleaning products specially developed for laminate floors. By following these simple cleaning tips you will enjoy your PERGO® floors for many years to come.

## Ordinary cleaning

Vacuum (without the beater bar) or sweep the floor using the Pergo mop to remove dirt and dust. Occasionally wipe with a damp Pergo cloth.

## Removing ordinary stains

1. Spray Cleaner directly on the stains/spillages.
2. Let Spray Cleaner dissolve stains for a few minutes.
3. Clean the floor with a damp mop (using only water).

Your PERGO® floor should not be waxed or polished. Never scrub with steel wool or any other abrasive material as this may effect the appearance or texture. Some textures sometimes require special cleaning. If your PERGO floor has any of the following textures please follow these instructions for best result.

## Matt textures

In general, dirt sticks harder to floors with matt textures. We therefore recommend that you clean the floor more regularly and use Spray Cleaner on the entire floor area to dissolve dirt stuck to the surface. A greasy-looking surface can occur if you have cleaned the floor in the wrong way by for example using too much detergent or the wrong detergent, such as soap. To remove this film spray ample Spray Cleaner over the whole floor and wait a few minutes for the detergent to dissolve the dirt/grease. Damp-mop the floor and dry-mop afterwards. Repeat this procedure until the dirt or greasy film is removed.

## Polished texture

Dried watermarks are often more visible on polished textures. Therefore, for best results, always wipe with a dry mop after damp cleaning.

## Floors with bevelled edges

Floors with bevelled edges are more sensitive to water since the bevel acts as a pocket where water can collect. Never wet-clean the floor. Cleaning with a slightly damp mop (a very well wrung mop) is possible occasionally but make sure no water has collected in the bevel. Always dry-mop the floor immediately after cleaning.

## STAIN REMOVAL GUIDE

Stain/Problem	Solution
Chocolate, grease, juice, cordials, wine	Add warm water to Simple Solutions Spray Cleaner
Tar, crayon, lipstick, shoe polish, ink, carbon, nail polish or cigarettes	Methylated spirit, acetone or household solvent, petroleum spirit
Candle wax and chewing gum	Allow them to harden then carefully scrape them off

## PROTECT YOUR FLOOR

Although laminate floors are very resistant to wear and scratches, use felt pads under furniture legs, and pads or plastic cups under chair legs as an added precaution. And always use a doormat in the front entrance.

# MATCHING MATRIX



Art.nr / Decor	Commercial moldings		Moldings for residential use				Wallbases				
	T-Molding*	Reducer Strip	4-in-1	End Molding	Stair Nose	Flush St. nose	16x57 Shaped	14x82 Shaped	16x57 Straight	Beading	Sealant
<b>UNIQU™</b>											
037103 White Pine, plank	320120	330120	370502	340502	350502	-	30054	30354	31654	31054	45403
037113 Painted nature light	320154	330154	37097	34097	35097	-	30054	30354	31654	31054	45403
037123 Maple, plank	320121	330121	37042	34042	35042	-	30057	-	31657	31057	45401
037153 Woodstrip light	320135	330135	370402	340402	350402	-	30092	-	31692	31092	45406
037193 Beech, plank	320124	330124	37028	34028	35028	-	30005	30305	31605	31005	45405
037203 Oak, blocked	320125	330125	37005	34005	35005	-	30068	-	31668	31068	45405
037213 Glazed Maple, plank	320126	330126	37015	34015	35015	-	30012	30312	31612	31012	45406
037263 Woodstrip dark	320137	330137	370501	340501	350501	-	-	303137	-	310137	45407
037273 Walnut, plank	320131	330131	370500	340500	350500	-	300117	303117	316117	310117	45407
037333 Silvergrey Pine, plank	320133	330133	-	-	-	-	-	-	-	-	45402
037433 Lapacho	320160	330160	370601	340601	350601	-	300262	303262	316262	310262	45407
037443 Black London Oak	320161	330161	-	-	-	-	-	-	-	-	45402
037453 Chalked Oak, plank	320162	330162	370217	340217	350217	-	30048	30348	31648	31048	45401
037463 Dark Oak, plank	320163	330163	370215	340215	350215	-	30039	30339	31639	31039	45404
037473 Chocolate Oak, blocked	320164	330164	-	-	-	-	-	-	-	-	45404
037483 Wenge	320165	330165	370701	340701	350701	380701	300265	-	316265	310265	45408
037493 Greenwich Oak, plank	320166	330166	-	340705	-	-	300274	-	316274	310274	-
037503 Grey Zebrano	320170*	330170*	370715	340715	350715	-	300309	-	316309	310309	45402
037513 Carbonized Oak	320171*	330171*	370716	340716	350716	-	300301	-	316301	310301	-
037523 Fruitwood, plank	320167*	330167*	370364	340364	350364	-	30089	-	31689	31089	45406
037533 Natural Oak, plank	320172*	330172*	370718	340718	350718	380718	300300	303300	316300	310300	45404
037543 Walnut, blocked	320169*	330169*	370706	340706	350706	-	30012	30312	31612	31012	45405
037553 Boathouse Pine	320173*	330173*	370719	340719	350719	-	300307	-	316307	310307	45405
<b>SENSE™</b>											
038502 Seaside Pine, plank	-	-	370733	340733	350733	-	300306	-	316306	310306	45403
038512 Natural Oak, plank	320172*	330172*	370718	340718	350718	380718	300300	303300	316300	310300	45403
038522 Haven Oak, plank	-	-	370703	340703	350703	-	300266	-	-	310266	45404
038532 Fruitwood, plank	320167*	330167*	370364	340364	350364	-	30089	-	31689	31089	45406
038542 White Pine, plank	320120	330120	370502	340502	350502	-	30054	30354	31654	31054	45403
038552 Glazed Maple, plank	320126	330126	37015	34015	35015	-	30012	30312	31612	31012	45405











\*Made to order. Minimum 4 weeks delivery time.

Our Matching Matrix is based on our designers' recommendations. Variations may occur due to lighting conditions. Subject to change without notice.

# MATCHING MATRIX








Art.nr / Decor	Moldings for residential use				Wallbases					
	 4-in-1	 End Molding	 Stair Nose	 Flush St. Nose	 16x57 Shaped	 14x82 Shaped	 16x57 Straight	 Beading	Finishing Putty	Sealant
<b>ORIGINAL™</b>										
021502 Oak, blocked	37015	34015	35015	38015	30068	-	31668	31068	45602	45405
024802 Virginia Oak	370400	340400	350400	380400	300275	-	316275	310275	45651	45405
025702 Maple, plank	37042	34042	35042	38042	30035	30335	31635	31035	45604	45401
025902 Cherry plank	37064	34064	35064	38064	30034	-	31634	31034	45651	45405
026502 Rustic Elm	370219	340219	350219	-	300275	-	316275	310275	45601	45404
027002 Travertine	370225	340225	350225	-	30024	-	31624	31024	45604	45401
028602 Elegant Oak, blocked	370503	340503	350503	-	300264	-	316264	310264	45602	45406
028022 Aged Elm, plank	370493	340493	350493	-	30086	30386	31686	31086	45651	45403
028032 Antique Oak, plank	370490	340490	350490	380490	30045	30345	31645	31045	45652	45407
028082 White Pine, plank	37097	34097	35097	-	30054	30354	31654	31054	45603	45403
028112 Chalked Oak, plank	370217	340217	350217	380217	30048	30348	31648	31048	45611	45401
028682 Natural Oak, plank	370718	340718	350718	380718	300300	303300	316300	310300	-	45404
028692 Beech, 4-blocked	37028	34028	35028	-	30018	30318	31618	31018	45601	45404
028702 Smoked Vintage Oak, plank	370728	340728	350728	-	300302	-	316302	310302	-	45403
028722 Greyed Oak, plank	370729	340729	350729	-	300316	-	316316	310316	-	45403
028732 Driftwood Acacia, plank	370730	340730	350730	-	300313	-	316313	310313	45611	45403
028742 Dark Fruitwood, plank	370731	340731	350731	-	30015	30315	31615	31015	45615	45405
028752 Copper Mahogany, blocked	370721	340721	350721	-	30015	30315	31615	31015	45652	45407
028762 Verona Walnut	370455	340729	350455	-	300117	303117	316117	310117	45656	45404
028772 Walnut, blocked	370706	340706	350706	-	30012	30312	31612	31012	-	45407
038032 Country Oak, blocked	37034	34034	35034	38034	30039	30339	31639	31039	45602	45406
038092 Country Maple	37052	34052	35052	-	30057	-	31657	31057	45604	45401
038102 Vintage Oak, blocked	37054	34054	35054	-	30050	-	31650	31050	45615	45407
038152 Cottage Pine, plank	370403	340403	350403	-	30097	30397	31697	31097	-	-
038182 Greenwich Oak, plank	370705	340705	350705	-	300274	-	316274	310274	-	-
038202 White Oak, plank	370732	340732	350732	-	300317	-	316317	310317	45603	45403
<b>EXPRESSION™ Bevelled Plank</b>										
010002 Dark Oak, plank	370215	340215	350215	380215	30039	30339	31639	31039	45602	45405
010012 Golden Oak, plank	370503	340503	350503	380503	300264	-	316264	310264	45651	45405
010022 Chalked Oak, plank	370217	340217	350217	380217	30048	30348	31648	31048	45611	45401
010062 Aged Elm, plank	370493	340493	350493	-	30086	30386	31686	31086	45651	45403
010082 Smoked Oak, Plank	370509	340509	350509	-	300164	303164	316164	310164	45656	45405
010092 Salted Lapacho, plank	370708	340708	350708	-	300262	303262	316262	310262	45615	45407
010112 Wenge	370701	340701	350701	380701	300265	-	316265	310265	45683	45408
010122 Seaside Pine	370733	340733	350733	-	300306	-	316306	310306	45603	45403
010132 Modern Acacia	370734	340734	350734	-	300313	-	316313	310313	45611	45404
010142 Smoked Vintage Oak	370709	340709	350709	-	300302	-	316302	310302	-	45403



Our Matching Matrix is based on our designers' recommendations. Variations may occur due to lighting conditions. Subject to change without notice.









# MATCHING MATRIX

Art.nr / Decor	Moldings for residential use				Wallbases					
									Finishing Putty	Sealant
<b>EXPRESSION™ Ship's Deck</b>										
010902 Maritime Jatoba	370726	340726	350726	-	30015	30315	31615	31015	45615	45407
010912 Yacht Oak	370735	340735	350735	-	30023	-	31623	31023	45601	45404
<b>EXPRESSION™ Plank</b>										
010402 Dark Oak, plank	370215	340215	350215	380215	30039	30339	31639	31039	45602	45405
010412 Chalked Oak, plank	370217	340217	350217	380217	30048	30348	31648	31048	45611	45401
010462 Distressed White Oak	370724	340724	350724		300303	-	316303	310303	45603	45403
010472 Traditional Oak	370722	340722	350722		300314	-	316314	310314	45611	45404
010482 French Oak	370723	340723	350723		300315	-	316315	310315	-	45405
010492 Jatoba	370726	340726	350726		30015	30315	31615	31015	45615	45405
<b>EXPRESSION™ Bevelled Strip</b>										
010202 Dark Oak, plank	370215	340215	350215	380215	30039	30339	31639	31039	45602	45405
010212 Golden Oak, plank	370503	340503	350503	380503	300264	-	316264	310264	45651	45405
010222 Chalked Oak, plank	370217	340217	350217	380217	30048	30348	31648	31048	45611	45401
010262 Aged Elm, plank	370493	340493	350493	-	30086	30386	31686	31086	45651	45403
010292 Salted Lapacho, plank	370708	340708	350708	-	300262	303262	316262	310262	45615	45407
010192 Wenge	370701	340701	350701	380701	300265	-	316265	310265	45683	45408
<b>EXPRESSION™ Stone</b>										
010602 Black Slate	370707	340707	-	-	-	-	316276	310276	-	45402
010622 Travertine Yellow	370714	-	-	-	-	-	-	310277	45611	45403
010652 Italian Black Slate	370707	340707	-	-	-	-	316276	310276	45681	-
010662 Beige Slate	370736	-	-	-	-	-	316304	310304	45611	45402
010672 Rusty Slate	370737	-	-	-	-	-	316305	310305	45651	-
010692 Desert Concrete	370739	-	-	-	-	-	316312	310312	45603	45402
<b>EXPRESSION™ Tile</b>										
034002 Creme	370221	340221	-	-	300222	-	316222	310222	45603	45403
034022 Glaze beige	370223	340223	-	-	300278	-	316278	310278	45603	45403
034032 Glaze graphite	370224	340224	-	-	300163	-	316163	310163	45681	45402
034042 Cotto clay, beige	370225	340225	-	-	300222	-	316222	310222	45611	45403
034052 Cotto clay, grey	370226	340226	-	-	300166	-	316166	310166	45603	45402
034072 Cotto terra, light	370227	340227	-	-	300167	-	316167	310167	45651	45406
034082 White Tile	-	-	-	-	30025	30325	31625	31025	-	-
034102 Black Tile	370743	-	-	-	300279	-	-	-	-	-

Our Matching Matrix is based on our designers' recommendations. Variations may occur due to lighting conditions. Subject to change without notice.









# MATCHING MATRIX









Art.nr / Decor	Moldings for residential use				Wallbases					
									Finishing Putty	Sealant
<b>DOMESTIQ PLUS™</b>										
033102 Maple, plank	37042	34042	35042	38042	30035	30335	31635	31035	45604	45401
033132 Oak, blocked	37015	34015	35015	-	30068	-	31668	31068	45602	45404
033162 Beech, plank	37005	34005	35005	380504	30018	30318	31618	31018	45651	45405
033222 Birch, plank	37010	34010	35010	-	30005	30305	31605	31005	-	45405
033242 London Oak	37050	34050	35050	-	30052	30352	31652	31052	-	-
033272 Preston Oak, plank	370495	340495	350495	-	30032	30332	31632	31032	45652	45405
033292 Natural Oak	370718	340718	350718	380718	300300	303300	316300	310300	45601	45404
033302 Distressed White Oak	370724	340724	350724	-	300303	-	316303	310303	45603	45403
033312 White Oak	370725	340725	350725	-	300317	-	316317	310317	45611	45403
033342 French Oak	370723	340723	350723	-	300315	-	316315	310315	-	45405
033352 Smoked Acacia	370727	340727	350727	-	300310	-	316310	310310	-	45408
033362 Beech, 4-blocked	37028	34028	35028	38028	30018	30318	31618	31018	45601	45404
<b>COUNTRY™</b>										
036832 Antique Oak, plank	370490	340490	350490	380490	30045	-	31645	31045	45652	45407
036842 Classic Oak, plank	370216	340216	350216	-	300318	-	316318	310318	45651	45405
036852 Silver Pine, plank	370502	340502	350502	-	300263	303263	316263	310263	45603	45403
036862 Dark Oak, plank	370215	340215	350215	380215	30039	30339	31639	31039	45602	45406
036872 Rustic Elm	370219	340219	350219	-	300275	-	316275	310275	45601	45404
036892 Vintage Chestnut, plank	370491	340491	350491	-	300127	303127	-	310127	45602	45406
036902 Thermotreated Oak, plank	370701	340701	350701	380701	300265	-	316265	310265	45683	45408
036912 Country Pine, plank	370292	340292	350292	-	30097	30397	31697	31097	-	-
036922 Country Oak, plank	370493	340493	350493	-	300319	-	316319	310319	45601	45404
036932 Sandhurst Pine, plank	370741	340741	350741	-	300308	-	316308	310308	45611	45403

Our Matching Matrix is based on our designers' recommendations. Variations may occur due to lighting conditions. Subject to change without notice.

# FEATURES/TECHNICAL GUIDE


		DIAMOND	GOLD	
		UNIQ™	SENSE™	ORIGINAL™
<b>FEATURES</b>				
TitanX Surface™		•	•	•
Moisture resistance		Very high	High	High
Built-in surface energy absorber		–	SoftTech™	–
Built-in sound reduction		Professional Performance SoundBloc™	Compact SoundBloc™	Compact SoundBloc™
Pergo Patent Click-System		ProLoc®	ProLoc®	SmartLock®
Antistatic		•	•	–
Antimicrobial		•	•	–
Environmental labels		 	 	 
Format (mm)		1196 x 196	1196 x 196	1198 x 198
Thickness (mm)		11	10	9
Package (m <sup>2</sup> )		1,41	1,64	1,90
Planks / package		6	7	8
Triple guarantee against wear, stains, fading (residential use)		Lifetime	Lifetime	Lifetime
<b>TECHNICAL</b>		<b>STANDARD</b>		
Class of use	EN 685	34	23/33	23/33
Fire classification	EN 13501	Bfl-s1	Bfl-s1	Cfl-s1
Formaldehyde emission	EN 717	E1	E1	E1
VOC emission	ISO16000	< 50 µg/m <sup>2</sup> h	< 50 µg/m <sup>2</sup> h	< 50 µg/m <sup>2</sup> h
Determination of antibacterial activity	JIS Z 2801	>99%	>99%	–
Wear resistance	EN 13329	AC 6	AC 5	AC 5
Impact resistance	EN 13329	IC 4	IC 3	IC 3
Resistance to Castor Chair (soft wheels 25000/hard wheels 35000 rev)	EN 425	No damage	No damage	No damage
Impact Sound reduction	ISO 717-2	ΔLw>17–19 dB	ΔLw>17–19 dB	ΔLw>17–19 dB
Slip Resistance	EN 14041	Class DS	Class DS	Class DS
SlipAlert (www.slipalert.com)		µdry Low risk of slipping µwet Moderate risk of slipping	µdry Low risk of slipping µwet Moderate risk of slipping	µdry Low risk of slipping µwet Moderate risk of slipping
Thermal Insulation	EN 12667	0,11 m <sup>2</sup> K/W	0,08 m <sup>2</sup> K/W	0,07 m <sup>2</sup> K/W
Electrostatic charge	EN 1815	< 2kV (antistatic)	< 2kV (antistatic)	4kV
UPEC level	–	U <sub>4</sub> P <sub>3</sub> E <sub>1</sub> C <sub>2</sub>	Pending	–

Pergo reserves the right to change the specifications at any time.

GOLD						SILVER	
EXPRESSION™ Plank	EXPR Bevelled Plank	EXPR Ship's Deck	EXPR Bevelled Strip	EXPRESSION™ Stone	EXPRESSION™ Tile	DOMESTIQ PLUS™	COUNTRY™
•	•	•	•	•	•	•	•
High	Normal	Normal	Normal	Normal	Very high	High	Normal
-	-	-	-	-	-	-	-
Compact SoundBloc™	Compact SoundBloc™	Compact SoundBloc™	Compact SoundBloc™	Compact SoundBloc™	Compact SoundBloc™	Compact SoundBloc™	Compact SoundBloc™
SmartLock®	SmartLock®	SmartLock®	SmartLock® Plus	SmartLock®	SmartLock®	SmartLock®	SmartLock®
•	•	•	•	•	•	-	-
-	-	-	-	-	-	-	-
							
1196 x 144	1196 x 144	1196 x 92	790 x 92	592 x 198	396 x 396	1198 x 198	1198 x 198
9	9	9	9	9	9	9	9
1,72	1,72	1,76	1,16	1,41	1,25	1,90	1,90
10	10	16	16	12	8	8	8
Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	20 years	20 years
23/33	23/33	23/33	23/33	23/33	23/33	23/32	23/32
Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
E1	E1	E1	E1	E1	E1	E1	E1
< 50 µg/m <sup>2</sup> h	< 50 µg/m <sup>2</sup> h	< 50 µg/m <sup>2</sup> h	< 50 µg/m <sup>2</sup> h	< 50 µg/m <sup>2</sup> h	< 50 µg/m <sup>2</sup> h	< 50 µg/m <sup>2</sup> h	< 50 µg/m <sup>2</sup> h
-	-	-	-	-	-	-	-
AC 5	AC 5	AC 5	AC 5	AC 5	AC 5	AC 4	AC 4
IC 3	IC 3	IC 3	IC 3	IC 3	IC 3	IC 3	IC 3
No damage	No damage	No damage	No damage	No damage	No damage	No damage	No damage
ΔLw>17-19 dB	ΔLw>17-19 dB	ΔLw>17-19 dB	ΔLw>17-19 dB	ΔLw>17-19 dB	ΔLw>17-19 dB	ΔLw>17-19 dB	ΔLw>17-19 dB
Class DS	Class DS	Class DS	Class DS	Class DS	Class DS	Class DS	Class DS
µdry Low risk of slipping	µdry Low risk of slipping	µdry Low risk of slipping	µdry Low risk of slipping	µdry>0,65 Low risk of slipping	µdry Low risk of slipping	µdry Low risk of slipping	µdry Low risk of slipping
µwet Moderate risk of slipping	µwet Moderate risk of slipping	µwet Moderate risk of slipping	µwet Moderate risk of slipping	µwet>0,35 Moderate risk of slipping	µwet Moderate risk of slipping	µwet Moderate risk of slipping	µwet Moderate risk of slipping
0,07 m <sup>2</sup> K/W	0,07 m <sup>2</sup> K/W	0,07 m <sup>2</sup> K/W	0,07 m <sup>2</sup> K/W	0,07 m <sup>2</sup> K/W	0,07 m <sup>2</sup> K/W	0,07 m <sup>2</sup> K/W	0,07 m <sup>2</sup> K/W
< 2kV (antistatic)	< 2kV (antistatic)	< 2kV (antistatic)	< 2kV (antistatic)	< 2kV (antistatic)	< 2kV (antistatic)	4kV	4kV
Pending	Pending	Pending	Pending	Pending	Pending	Pending	-

# PUSHING THE LIMITS OF DURABILITY...

...and making one of the worlds toughest laminate floors, with a surface hard as titanium.



Other laminate floors


## A MULTI-LAYER REASON TO CHOOSE A PERGO® FLOOR

The patented TitanX Surface™ is created with a multi-layer technology and is one of the reasons why you can feel confident in choosing a PERGO® floor.




### IMPACT RESISTANCE

The multi-layer technology also includes one or two extra thick core papers that gives an outstanding impact resistance.




### WEAR RESISTANCE

Where other laminate floors only get one layer of coating, we add two or three. We also add aluminium oxide particles for maximum wear protection.




### SCRATCH RESISTANCE

In a PERGO® floor there is also an extra layer of coating with disc shaped aluminium oxide particles that protects the floor from instant scratches. This layer is over three times more effective than any other laminate floor on the market.



### ANTISTATIC

Pergo has developed a unique, patent applied solution which improves the antistatic properties on PERGO® Uniq™, Sense™ and Expression™. The flooring fulfills the criteria for the classification as an antistatic floor according to EN 1815 and EN 14041. So you don't have to worry about unpleasant electrostatic charges.



# Why choose a PERGO® floor?



**WEAR PROTECTION** Pergo's patented TitanX Surface™ offers the best multi-layer protective floor finish on the market today. It consists of several layers that provide a level of wear resistance that far exceeds accepted standards for heavy commercial use. This makes PERGO® floors the most durable laminate floors in the world. And that's why you get the best guarantee on the market when you buy a PERGO floor.



**SCRATCH RESISTANCE** The TitanX Surface™ also features an extra protective layer that offers the best scratch resistance available on the market today. This unique and patented PERGO® feature protects the floor from scratches and maintains the rich lustre three times longer and better than any other laminate floor.



**IMPACT RESISTANCE** The TitanX Surface™ with its unique multi-layer build-up in combination with a dense core material gives your floor the highest impact resistance, meeting even the toughest requirements. This protects your floor from potential damage caused by falling objects and high-heeled shoes.



**WATER RESISTANCE** Our double Moisture Resistance System is a combination of one of the most moisture-resistant core materials on the market and the strong and tight click joint. This gives PERGO® floors some of the best water-resistance properties on the market. So don't worry about accidents like over-watered plants or spilled drinks.



**SOUND REDUCTION** Our SoundBloc™ technology built into all PERGO® floors consists of a sound-reducing underlay attached to the underside of the board, which provides better soundproofing properties than a conventional loose underlay. Pergo's revolutionary new Soft-Tech™ technology now makes the floor even quieter by placing a sound-blocking layer under the laminate surface.



**EASY MAINTENANCE** The hard and durable surface of a PERGO® floor is resistant to dirt and offers you low maintenance and effortless cleaning. The solid, secure design of the click joints also keeps dirt from penetrating the joint.



**EASY INSTALLATION** The attached sound-proofing underlay and the glueless click joints make for faster and more flexible installation since no glue and no extra underlay are needed. Just fold the floor down into place or tap it into position horizontally and you'll be done in no time.



**FIRE CLASSIFICATION** PERGO® floors have a natural high resistance to fire. Selected ranges are designed to meet all European requirements for installation in escape routes and assembly halls.



**ANTI-STATIC** Pergo has developed and patented a technology that gives the Sense™, Uniq™ and Expression™ floors anti-static properties, so you don't have to worry about unpleasant electrostatic charges.



**ANTI-MICROBIAL** The Uniq™ and Sense™ floors all feature anti-microbial properties without use of chemicals. Thanks to the addition of silver in the flooring, bacteria and viruses are prevented from growing and 'starved' to death in a completely natural and proven way.



**BETTER ERGONOMICS** Our outstanding SoftTech™ technology provides radically improved energy absorption, which makes the floor much more pleasant to walk on and gives it far better ergonomic performance than ordinary laminate flooring.



# The market's best guarantee lasts a lifetime!

All Pergo guarantees in residential applications\* are for the full value of the product, which means that if your floor is damaged during the guarantee period you will receive a replacement floor at the same value as your original floor.

## What is a Lifetime Triple Guarantee?

The Triple Guarantee provides cover against wear, staining and fading from the date of purchase. The length of the Guarantee varies in different markets but in most cases it is defined as at least 50 years. That's a guarantee that's hard to match.

## What does the Triple Guarantee cover?

For the duration of the Guarantee we guarantee that:

- the floor's laminate surface will not wear through
- the floor's laminate surface will not fade as a result of sunlight or electric light
- the floor will not be stained by substances normally found in domestic environments.

The specifics of our Guarantee coverage may vary from one country to another since they are subject to local law. For more detailed information regarding the Pergo Guarantee in your country, ask for a Guarantee card at your local dealer or read more on [www.pergo.com](http://www.pergo.com).

\*Commercial guarantee on request.



[www.pergo.com](http://www.pergo.com)



DON'T WORRY FLOORS

Pergo Ltd, PO Box 13113, Kingsbury Link, Picadilly, Tamworth, B77 9DJ, Tel 01827 871840, Fax 01827 871850  
E-mail: [customer care.uk@pergo.com](mailto:customer care.uk@pergo.com)